

SAUSAGE HIGH SPEED LINKING AND HANGING SYSTEM











- ●Even without the linking chain, JACKWEL makes it possible to make a certain length products with natural casings by using two butterfly wings for twisting and the upper and lower belts for transfer.
- ●One of the features of this portioning system is you can freely change the product length and weight without linking chain.
- ●Collagen casing is available too. (Manual insertion)



Multi stuffing tube revolver head

The multi stuffing tube turret (revolver head) allows:

- pre-feeding of natural casings
- up to 30% increased production output
- faster cycle times
- reduced machine stopping / waiting time


■LAYOUT

Operator Friendly Monitor

Maintenance and troubleshooting

Easy changing of products

Production control



■SPECIFICATION

	JACKWEL
Production Rate	Natural Casing Max 1000 pcs/min
Production Size	25 - 1,200 mm
Casing Size	13 mm - 36 mm
Height	1,457 mm (57 23/64 in)
Width	762 mm (30 in)
Length	4,400 mm (173 15/64 in)
Weight	Approx 500 kg (1,102 lbs)
Power Requirements	Three - phase, 4.2 kw (without Power of Stuffwel)
Pneumatic Requirements	Pressure 0,5 Mpa (75psi)

- ※Specification and equipment are subject to change without any obligation on part of the manufacturer.
- *The above production rate is subject due to the conditions such as production item, factry and other conditions.

IHITEE CO.,LTD.

HEAD OFFICE & FACTORY

2565-8, NAGATSUTA-CHO, MIDORI-KU, YOKOHAMA 226-0026, JAPAN

 U.S. HEAD OFFICE

818 Lively Blvd. Wood Dale, IL 60191, U.S.A.
PHONE +1-630-521-9460 FAX +1-630-521-9466
E-mail: information@hitec-usa.com URL: www.hitec-usa.com

20210824 Ver.1